

# CONNECT 2

Designed for everyday living



Ideal Standard

PART OF THE IDEAL STANDARD GROUP

# MAKING LIFE BETTER FOR OUR CUSTOMERS

For over 100 years, our mission has been to make life better for our customers. We do this by bringing emotional meaning to functional perfection: always innovating to anticipate the demands and aspirations of modern living. From our roots pioneering products like the single lever tap, to delivering solutions for pressing global challenges, we create not just for today, but for tomorrow.





## FEATURES & BENEFITS



Expert engineering means our shower enclosures and bath screens are full of clever features which make them not just a pleasure to use but easy to install, clean and maintain.



**GLASS THICKNESS**  
6mm toughened safety glass



**IDEALCLEAN**  
Reduces cleaning time by up to 90%. Special coating so glass is easier to clean and stays cleaner for longer



**CLICK AND CLEAN**  
Lower wheels and panels can be released for cleaning. The panel clicks back into position for watertight seal



**GUARANTEE**  
Enclosures, wetroom panels and baths screens have a 10 year guarantee




**HORIZONTAL ADJUSTMENT**  
Profile can be adjusted to allow for untrue walls. Check each range for measurement

## INSTALLATIONS

### ALCOVE INSTALLATION

#### PIVOT DOOR

These doors work well in alcoves allowing the maximum showering area combined with the maximum access.




#### SLIDING DOOR

Sliding doors are a practical solution for alcoves, especially larger spaces. The door glides on smooth running wheels for access.




#### INFOLD/BIFOLD DOOR

The infold door is a great option for smaller spaces. It folds inwards to provide full access. The bifold option folds both inwards and outwards.



#### SALOON DOOR

These doors work well in alcoves allowing the maximum showering area combined with the maximum access.



### CORNER INSTALLATION

#### QUADRANT/OFFSET QUADRANT

These curved enclosures suit almost any bathroom design, creating an open environment, even in restricted spaces. Available with sliding door.




#### CORNER ENTRY

When space is limited on either side of a shower enclosure a corner entry with sliding doors offers an effective solution.




#### SLIDING DOOR WITH SIDE PANEL

Sliding doors offer maximum access where there is limited space to open a door. They can also work well in larger spaces to create luxurious showering areas.




#### PIVOT DOOR WITH SIDE PANEL

These doors swing open to offer wide access, which when combined with a side panel creates an light and airy showering area.




#### INFOLD/BIFOLD DOOR WITH SIDE PANEL

When there isn't room to open a door an infold door is a good solution. It offers wide access in tight spaces. A bifold option folds both inwards and outwards.



#### SALOON DOOR WITH SIDE PANEL

When there isn't room to open a door a saloon door is a good solution. It offers wide access in tight spaces. A saloon option pivot both inwards and outwards.



#### WET ROOM PANEL

The wet room panel is the most modular shower enclosure to achieve an open shower layout with 1 room panel or a close shower combining with a second wet room panel.



# INSTALLATIONS

## CENTRAL INSTALLATION

### QUADRANT/OFFSET QUADRANT

These curved enclosures suit almost any bathroom design, creating an open environment, even in restricted spaces. Available with sliding door.




### CORNER ENTRY WITH SIDE PANEL

When space is limited on either side of a shower enclosure a corner entry with sliding doors offers an effective solution.



### SLIDING DOOR WITH 2 SIDE PANELS

Sliding doors offer maximum access where there is limited space to open a door. They can also work well in larger spaces to create luxurious showering areas.




### PIVOT DOOR WITH 2 SIDE PANELS

These doors swing open to offer wide access, which when combined with a side panel creates an light and airy showering area.




### INFOLD/BIFOLD DOOR WITH 2 SIDE PANELS

When there isn't room to open a door an infold door is a good solution. It offers wide access in tight spaces. A bifold option folds both inwards and outwards.



### SALOON DOOR WITH 2 SIDE PANELS

The saloon door is a great option for smaller spaces. It pivot outwards to provide full access. The saloon option pivot both inwards and outwards.



2 year guarantee



IdealClean



Click and Clean



6mm Glass Thickness





25mm Horizontal Adjustment

## QUADRANT



Code	Description	Adjustment (mm)
K9250EO	Connect 2 Quadrant 80x80 Clear Glass Bright Silver Finish Radius 550 mm	770-795 mm
K9251EO	Connect 2 Quadrant 90x90 Clear Glass Bright Silver Finish Radius 550 mm	870-895 mm
K9252EO	Connect 2 Quadrant 100x100 Clear Glass Bright Silver Finish Radius 550 mm	970-995 mm



- Height 1950 mm
- Chrome plated metal handle double
- Smooth running wheels
- Easy click top caps
- Suitable for installation on a tray or wetroom floor

The products will be available in white matt colour profiles from May 2020.



More information on [www.idealstandard.com](http://www.idealstandard.com)

	A	B	C
K9250	770	195	770
K9251	870	295	870
K9252	970	395	970

## CORNER



Code	Description	Adjustment (mm)
K9257EO	Connect 2 Unhand Door 70 Clear Glass Bright Silver Finish	670-720 mm
K9258EO	Connect 2 Unhand Door 75 Clear Glass Bright Silver Finish	720-770 mm
K9259EO	Connect 2 Unhand Door 80 Clear Glass Bright Silver Finish	770-820 mm
K9260EO	Connect 2 Unhand Door 85 Clear Glass Bright Silver Finish	820-870 mm
K9261EO	Connect 2 Unhand Door 90 Clear Glass Bright Silver Finish	870-920 mm
K9262EO	Connect 2 Unhand Door 100 Clear Glass Bright Silver Finish	970-1020 mm
K9263EO	Connect 2 Unhand Door 110 Clear Glass Bright Silver Finish	1070-1120 mm
K9264EO	Connect 2 Unhand Door 120 Clear Glass Bright Silver Finish	1170-1220 mm
K9265EO	Connect 2 Unhand Door 140 Clear Glass Bright Silver Finish	1370-1420 mm



- Height 1950 mm
- Chrome plated metal handle & knob
- Smooth running wheels
- Easy click top caps
- Suitable for installation on a tray or wetroom floor

The products will be available in white matt colour profiles from May 2020. More information on [www.idealstandard.com](http://www.idealstandard.com)

	A	B	C	D
K9257	645	230	670	355
K9258	695	255	720	380
K9259	745	280	770	410
K9260	795	305	820	435
K9261	845	320	870	460
K9262	895	340	920	485
K9263	945	360	970	510
K9264	1045	410	1070	565
K9265	1145	460	1170	615



2 year guarantee



IdealClean



Click and Clean



6mm Glass Thickness




25mm Horizontal Adjustment

## PIVOT



Code	Description	Adjustment (mm)
K9266EO	Connect 2 Pivot Door 70 Clear Glass Bright Silver Finish	670-720 mm
K9267EO	Connect 2 Pivot Door 75 Clear Glass Bright Silver Finish	720-770 mm
K9268EO	Connect 2 Pivot Door 80 Clear Glass Bright Silver Finish	770-820 mm
K9269EO	Connect 2 Pivot Door 85 Clear Glass Bright Silver Finish	820-870 mm
K9270EO	Connect 2 Pivot Door 90 Clear Glass Bright Silver Finish	870-920 mm
K9271EO	Connect 2 Pivot Door 95 Clear Glass Bright Silver Finish	920-970 mm
K9272EO	Connect 2 Pivot Door 100 Clear Glass Bright Silver Finish	970-1020 mm




	A
K9266	670
K9267	720
K9268	770
K9269	820
K9270	870
K9271	920
K9272	970

- Height 1950 mm
  - Chrome plated metal handle
  - Easy click top caps
  - Suitable for installation on a tray or wetroom floor
- The products will be available in white matt colour profiles from May 2020. More information on [www.idealstandard.com](http://www.idealstandard.com)

## SLIDER



Code	Description	Adjustment (mm)
K9273EO	Connect 2 Slider Door 100 Clear Glass Bright Silver Finish	970-1020 mm
K9274EO	Connect 2 Slider Door 105 Clear Glass Bright Silver Finish	1020-1070 mm
K9275EO	Connect 2 Slider Door 110 Clear Glass Bright Silver Finish	1070-1120 mm
K9276EO	Connect 2 Slider Door 115 Clear Glass Bright Silver Finish	1120-1170 mm
K9277EO	Connect 2 Slider Door 120 Clear Glass Bright Silver Finish	1170-1220 mm
K9279EO	Connect 2 Slider Door 130 Clear Glass Bright Silver Finish	1270-1320 mm
K9278EO	Connect 2 Slider Door 140 Clear Glass Bright Silver Finish	1370-1420 mm
K9281EO	Connect 2 Slider Door 150 Clear Glass Bright Silver Finish	1470-1520 mm
K9282EO	Connect 2 Slider Door 160 Clear Glass Bright Silver Finish	1570-1620 mm



	A	B
K9273	970	513
K9274	1020	538
K9275	1070	563
K9276	1120	588
K9277	1170	613
K9279	1270	663
K9278	1370	713

- Height 1950 mm
  - Chrome plated metal handle
  - Smooth running wheels
  - Easy click top caps
  - Suitable for installation on a tray or wetroom floor
- The products will be available in white matt colour profiles from May 2020. More information on [www.idealstandard.com](http://www.idealstandard.com)



2 year guarantee



IdealClean



6mm Glass Thickness




25mm Horizontal Adjustment

## SALOON



Code	Description	Adjustment (mm)
K9290EO	Connect 2 Saloon Door 70 Clear Glass Bright Silver Finish	670-720 mm
K9291EO	Connect 2 Saloon Door 75 Clear Glass Bright Silver Finish	720-770 mm
K9292EO	Connect 2 Saloon Door 80 Clear Glass Bright Silver Finish	770-820 mm
K9293EO	Connect 2 Saloon Door 85 Clear Glass Bright Silver Finish	820-870 mm
K9294EO	Connect 2 Saloon Door 90 Clear Glass Bright Silver Finish	870-920 mm
K9296EO	Connect 2 Saloon Door 100 Clear Glass Bright Silver Finish	970-1020 mm




	A	B
K9290	670	290
K9291	720	315
K9292	770	340
K9293	820	365
K9294	870	390
K9296	970	440

- Height 1950 mm
- Chrome plated metal handle double
- Easy click top caps
- Suitable for installation on a tray or wetroom floor

## BIFOLD



Code	Description	Adjustment (mm)
K9283EO	Connect 2 B/fold Door 70 Clear Glass Bright Silver Finish	670-720 mm
K9284EO	Connect 2 B/fold Door 75 Clear Glass Bright Silver Finish	720-770 mm
K9285EO	Connect 2 B/fold Door 80 Clear Glass Bright Silver Finish	770-820 mm
K9286EO	Connect 2 B/fold Door 85 Clear Glass Bright Silver Finish	820-870 mm
K9287EO	Connect 2 B/fold Door 90 Clear Glass Bright Silver Finish	870-920 mm
K9288EO	Connect 2 B/fold Door 95 Clear Glass Bright Silver Finish	920-970 mm
K9289EO	Connect 2 B/fold Door 100 Clear Glass Bright Silver Finish	970-1020 mm



	A	B
K9283	463	670
K9284	513	720
K9285	563	770
K9286	613	820
K9287	663	870
K9288	713	920
K9289	763	970

- Height 1950 mm
  - Chrome plated metal handle double
  - Smooth running wheels
  - Easy click top caps
  - Suitable for installation on a tray or wetroom floor
- The products will be available in white matt colour profiles from May 2020. More information on [www.idealstandard.com](http://www.idealstandard.com)





2 year guarantee



IdealClean




Glass Thickness




Horizontal Adjustment

## SIDE PANELS



Code	Description	Adjustment (mm)
K9297EO	Connect 2 Side Panel 70 Clear Glass Bright Silver Finish	670-720 mm
K9298EO	Connect 2 Side Panel 75 Clear Glass Bright Silver Finish	720-770 mm
K9299EO	Connect 2 Side Panel 80 Clear Glass Bright Silver Finish	770-820 mm
K9301EO	Connect 2 Side Panel 85 Clear Glass Bright Silver Finish	820-870 mm
K9374EO	Connect 2 Side Panel 90 Clear Glass Bright Silver Finish	870-920 mm



- Height 1950 mm
  - Easy click top caps
  - Suitable for installation on a tray or wetroom floor
- The products will be available in white matt colour profiles from May 2020. More information on [www.idealstandard.com](http://www.idealstandard.com)



2 year guarantee



IdealClean



Glass Thickness




Horizontal Adjustment

## BATH SCREENS



Code	Description	Adjustment (mm)
T9923EO	Connect 2 Bath Screen Squared Shape 800 Clear Glass Bright Silver Finish	800-820 mm
T9924EO	Connect 2 Bath Screen Curved Shape 800 Clear Glass Bright Silver Finish	800-820 mm




- Height 1400mm
- Glass thickness 5mm
- Idealclean treatment
- Easy click top caps
- Horizontal adjustment up to 20mm per profile

## WET ROOM PANELS



Code	Description	Adjustment (mm)
K9375EO	Connect 2 Wet Room Panel 70 Clear Glass Bright Silver Finish	654-677 mm
K9376EO	Connect 2 Wet Room Panel 80 Clear Glass Bright Silver Finish	754-777 mm
K9377EO	Connect 2 Wet Room Panel 90 Clear Glass Bright Silver Finish	854-877 mm
K9378EO	Connect 2 Wet Room Panel 100 Clear Glass Bright Silver Finish	954-977 mm
K9379EO	Connect 2 Wet Room Panel 120 Clear Glass Bright Silver Finish	1154-1177 mm
K9380VA	Connect 2 Wet Room Panel Fixation Wall	
K9381VA	Connect 2 Wet Room Panel Fixation Angle	
K9382VA	Connect 2 Wet Room Panel Fixation Ceiling	



- Height 1950mm
- Easy click top caps

## GUARANTEE

Ideal Standard have been producing bathrooms for more than 100 years. Intensive and continuous testing is the key to class-leading durability.

Designed to endure the impact of daily use all of our products are guaranteed to perform stylishly and reliably, year after year.

As a mark of our confidence in Connect 2 and for your peace of mind, this collection comes with a 2 year warranty.

This is our promise of quality to you.

For further detail on norms and compliance, please visit [www.idealstandard.com](http://www.idealstandard.com)



Ideal Standard

**Ideal Standard-Vidima AD**

53 Marin Popov Street  
5400 Sevlievo, Bulgaria  
Tel: +359 675 30362  
office@idealstandard.com

**Representative office, Riga**

A. Briana str. 9a,  
Riga, LV- 1001, Latvia  
Tel: +371 673 57 792  
Fax: +371 673 57 795  
VDorogoi@IdealStandard.com

**Representative Office, Bucharest**

Cotroceni Business Center  
Bd. Iuliu Maniu, nr 7, corp T,  
061072 Bucharest, Romania  
Tel/Fax: +40 21 322 3201  
Tel/Fax: +40 21 322 3202  
OfficeBucharest@idealstandard.com

**Representative office, Belgrade**

Drinčićeva no.19, apartment no.8  
11000 Belgrade, Serbia  
Tel/Fax: +381 11 7138 058  
Tel/Fax: +381 11 7138 059  
OBelgrade@IdealStandard.com

**Representative Office, Budapest**

IS-Hun Kft  
1221 Budapest  
Aranyfácán u 20  
Tel: +36 30 6991 594  
ZGarai@idealstandard.com

**Contact for Albania, Kosovo  
and Bosnia & Herzegovina**

Tel: +359 887 709 696  
IMichev@idealstandard.com

**Contact for Croatia**

Tel: +38591 22 99 304  
HPavicic@idealstandard.com

**Contact for Slovenia**

Tel: +39 040 2158058  
info@liaison.it



Ideal Standard